Approved For Release 2002/01/02 : CIA-RDP78B04747A003000060007-6

9 December 1964

MEMORANDUM FOR THE RECORD

SUBJECT: Meeting on the Installation of the [redacted] Printer Processor, 8 December 1964. 25X1A 25X1A

Attendees: [redacted] 25X1A

1. The above named persons agreed at the meeting that the [redacted] Printer Processor would be installed in Room 2S 245 as soon as it could be shipped to [redacted] This room meets only part of the requirements for installation of the processor; however, [redacted] assured us that deficiencies noted in the room would be taken care of immediately. 25X1A 25X1A 25X1A

2. The room has outside access, cold water and a floor drain available. Its size is more than adequate to accommodate the equipment.

3. The following requirements will be taken care of by the Logistics Branch, SS prior to the arrival of the printer processor which will be delivered in approximately 10 days.

a. Hot water at approximately 160°.

b. Oil-free compressed air at 100 pounds per square inch.

c. Special power outlet fused for 40 amps at 208 volts.

d. Locks on internal doors, and

e. Safe lights as specified in the Engineering Installation Sheet given to [redacted] at this meeting. 25X1A

4. The Plans and Development Staff will determine from the manufacturer the BTU output of the equipment to assure that the air conditioning capacity is adequate for the room, and the allowable

Declass Review by NIMA / DoD

Approved For Release 2002/01/02 : CIA-RDP78B04747A003000060007-6

Approved For Release 2002/01/02 : CIA-RDP78B04747A003000060007-6

CONFIDENTIAL

SUBJECT: Meeting on the Installation of the [redacted] Printer Processor, 8 December 1964. 25X1A 25X1A

variations in temperature and compressed air from the specified amounts.

[redacted] 25X1A

Chief, Development Branch, P&DS

Distribution:
Orig. - Project File
1 - to be attached to
Memo to LB/SS
1 - Chrono - DB/P&DS
NPIC/P&DS [redacted]3308 (8 Dec. 1964) 25X1A

CONFIDENTIAL

Approved For Release 2002/01/02 : CIA-RDP78B04747A003000060007-6

Approved For Release 2002/01/02 : CIA-RDP78B04747A003000060007-6

[redacted]



3/4" LINES

LINE PRESSURE 40-60 PSI

HOT WATER HEATER
65,000 BTU/h.

STATINTL

BOOSTER PUMP

[redacted] PUMP

MODEL B TYPE 3/4K-1/2

STATINTL

[redacted]

600 SERIES MODEL 150-4471 -80 GAL
4500 W ELEMENTS

GAS HEATER MODEL 150-4466 -40 GAL
75,000 BTU

100 psi
60 GPM
File 99-5-41

[redacted]

ILLEGIB

Approved For Release 2002/01/02 : CIA-RDP78B04747A003000060007-6

Approved For Release 2002/01/02 : CIA-RDP78B04747A003000060007-6



ILLEGIB

ILLEGIB

ILLEGIB

ILLEGIB

3/4" LINES

LINE PRESSURE 40-60 PSI

HOT WATER HEATER
65,000 BTU/h.

STATINTL

Booster Pump

[redacted] Pump

Model B Type 3/4K-1/2

600 SERIES MODEL 150-4471 -80 GAL
4500 w ELEMENTS
GAS HEATER MODEL 150-446L -40GAL
75,000 BTU

[redacted]

STATINTL

Approved For Release 2002/01/02 : CIA-RDP78B04747A003000060007-6